

**AMENDMENTS TO THE CLAIMS**

Please amend claims 1, 8, 9, 17 and 19 as follows.

Please add new claims 21 and 22 as follows.

The following is a complete list of all claims in this application.

1. (Currently Amended) A massager unit, comprising:
  - an elongate handle having a first end and a second end;
  - a first massage head disposed at the first end of the handle, the first massage head having a first shape;
  - a first motor operatively coupled to the first massage head;
  - a second massage head disposed at the second end of the handle, the second massage head having a second shape; and
  - a second motor operatively coupled to the second massage head[[]],  
wherein the first shape is different from the second shape.
2. (Original) The massager unit of claim 1, further comprising:
  - a first switch operable to control the first motor; and
  - a second switch operable to control the second motor.
3. (Original) The massager unit of claim 1, further comprising:
  - at least one first weight coupled to the first motor, wherein the first weight is offset from an axis of rotation of the first motor, thereby causing vibrations as the first weight rotates; and
  - at least one second weight coupled to the second motor, wherein the second weight is offset from an axis of rotation of the second motor, thereby causing vibrations as the second weight rotates.
4. (Original) The massager unit of claim 3, further comprising:
  - a power supply contained within the elongate handle wherein the power supply is operatively coupled to the first motor and the second motor to provide electrical power to the first motor and the second motor.

5. (Original) The massager unit of claim 4, wherein the power supply is at least one battery.
6. (Original) The massager unit of claim 5 wherein the handle further comprises a cavity constructed and arranged to retain the at least one battery.
7. (Original) The massager unit of claim 1, further comprising a power supply, wherein the power supply is external to the massager unit.
8. (Currently Amended) The massager unit of claim 7, wherein the power supply ~~means~~ is at least one battery.
9. (Currently Amended) The massager unit of claim 7, wherein the power supply ~~means~~ is coupled to alternating current (AC) power.
10. (Original) The massager unit of claim 1, further comprising: a switch operable to independently control the first motor and the second motor.
11. (Original) The massager unit of claim 1, wherein an active massage area of the first massage end further comprises a substantially oval-shaped dome.
12. (Original) The massager unit of claim 1, wherein an active massage area of the first massage end further comprises a plurality of hemispheres.
13. (Original) The massager unit of claim 1, wherein an active massage area of the first massage end further comprises a plurality of conical shapes.
14. (Original) The massager unit of claim 1, wherein the handle has a substantially convex contour to fit a hand of a user.
15. (Original) The massager unit of claim 1, wherein the handle is substantially cylindrical.
16. (Original) The massager unit of claim 1, wherein the handle is substantially rectangular.

17. (Currently Amended) A massager unit, comprising:

an elongate handle having a first end and a second end;

a first massage head disposed at the first end of the handle, wherein the first massage head comprises,

a[[n]] first upper portion having a first massage head depression with a longitudinal axis substantially parallel to the elongate dimension of the handle, whereby the first massage head depression accommodates one finger of a user placed therein, and

a lower portion comprising an active massage area; and

a second massage head disposed at the second end of the handle, wherein the second massage head comprises,

a[[n]] second upper portion having a ~~first~~, second massage head depression with a longitudinal axis substantially parallel to the elongate dimension of the handle, and a ~~second, second~~ third massage head depression with a longitudinal axis substantially parallel to the ~~first, longitudinal axis of the~~ second massage head depression, whereby the second and third depressions accommodate two fingers of a user placed therein, and

a lower portion comprising an active massage area whereby the second massage head is wider than the first massage head.

18. (Withdrawn) A method of providing massage therapy to a selected body part of the user using a massager unit comprising a first massage head separated by an elongate handle from a second massage head, the method comprising the steps of:

pressing a first button, resulting in closing a first switch so that power is provided from a first power source to a first motor;

pressing a second button, resulting in closing a second switch so that power is provided from a second power source to a second motor;

applying one of the first massage head or the second massage head to a selected body part; and

guiding the one of the first massage head or the second massage head using the elongate handle and at least one depression,

wherein the at least one depression is located on the massager unit and is shaped to fit a finger thereon.

19. (Currently Amended) A massager unit, comprising;

an elongate handle having a first end and a second end;

a first massage head disposed at the first end of the, the first massage head having a first shape;

a first means for vibrating operatively coupled to the first massage head;

a second massage head disposed at the second end of the handle, the second massage head having a second shape; and

a second means for vibrating operatively coupled to the second massage head[[.]],

wherein the first shape is different from the second shape.

20. (Original) The massager unit of claim 19, further comprising:

means for controlling the first means for vibrating; and

means for controlling the second means for vibrating.

21. (New) The massager unit of claim 1, wherein the first shape is wider than the second shape.

22. (New) The massager unit of claim 19, wherein the first shape is wider than the second shape.